

National Core Indicators[®]--Intellectual and Developmental Disabilities 2020-21 In-Person Survey (IPS) Report

Relationships

People have friends and relationships and are able to maintain their friendships and relationships.

What to know about the presentation of Relationships data:



Charts with un-collapsed weighted NCI average

Here's what [collapsed](#) data are



State and weighted NCI averages

The number of respondents (N) is not weighted

Here's what [weighting](#) data means for comparisons

Relationships

Table 2. Has best friend (may be staff or family; ‘yes’ responses only).....	8
Table 3. Wants help to make or keep in contact with friends (‘yes’ and ‘maybe’ responses)	10
Table 4. Has friends (may be staff or family) and can see their friends when they want (‘yes’ responses only).....	12
Table 5. Reasons cannot see friends if sometimes or often unable to.....	14
Table 6. Has other ways of talking, chatting, or communicating with friends when cannot see them (‘yes’ responses only)	16
Table 7. Can see or communicate with their family when they want (among those who <i>do not live in the family home</i> ; ‘yes, sees family whenever wants’, or ‘chooses not to see family’ responses only)	18
Table 8. Often feels lonely (‘yes, often’ responses only)	20
Table 9. Can go on a date or is married or living with partner (‘yes, can date’ or ‘is married or living with partner’ responses only)	22

Where do these data come from?

All information in this section comes directly from the person receiving services, or for some select questions, from a “proxy” respondent. A proxy respondent is someone who knows the person well (e.g., a family member), proxy respondents may not be a case manager/service coordinator. Items that allow for proxy respondents are noted in the table title.

Read more about why we allow proxy respondents for select questions in the IPS in the Overview chapter of this report.

Items in this chapter are a part of the NCI Individuals Outcomes domain (or topic area) and comprise the “Relationships” sub-domain (a specific area of concern within the domain). The Relationships sub-domain includes items that help determine whether “people have friends and relationships”. Read more about NCI domains and sub-domains in the Overview chapter of this report.

What are “collapsed” data?

Many questions in the IPS allow respondents to answer a question with “middle” response like “maybe”, “sometimes” or “in-between”. The tables in this section present collapsed data. That means that two or more response options are grouped together if they are considered to reflect a positive outcome. The table titles explain which options were grouped.

To see the breakout of responses for each option, please see Appendix C.

What is weighting and why do we do it?

The NCI-IDD averages are “weighted” to reflect the states’ relative population and sample sizes. We created the weights using the state’s number of valid surveys and its total survey-eligible population. This way, a state that provides services to a larger number of people but uses a sample similar in size to other states has a greater influence on the overall NCI-IDD average (that is, its contribution is *proportional to its service population*).

In this survey year, CA intentionally oversampled by geographical regions to get more focused insights, so their weights are calculated slightly differently (using the number of completed surveys and service

population sizes in each subpopulation or region). You can read more about this in the Methodology section of the Overview chapter.

The number of respondents (N) for each question is *not* weighted.

Presentation of state and weighted NCI-IDD averages

Averages

For the most part, the state outcomes are shown in descending order of percentage and are categorized as statistically significantly above the NCI-IDD Average, within the range of the NCI-IDD Average, or significantly below the NCI-IDD Average. Statistical significance is taken to be at or below the .01 level. For those states that fall within the NCI-IDD Average range, their ‘always’ or ‘yes’ response was not statistically different from the NCI-IDD Average. Other tables show the states listed in alphabetical order and are not tested for significance.

Tables that show significance also break out average results for each state by the type of residence: ICF/IID or other institutional settings, group residence, own home, parent/relative’s home, foster or host home. Figure A on the following page shows, by state, the percentage of people surveyed in each residence type. Please note though that:

- Significance testing was not performed on the breakouts by residence
- The number of people in each residential setting is often too small to allow for valid state-to-state comparisons
- And in many cases, statistically valid conclusions cannot be drawn about differences in results between residence types

Still, we provide this information for states’ internal purposes. It should not be used to compare one state with another.

To protect people’s privacy, we do not show the data when fewer than 20 people from a state or residence type responded to a question (though their responses are included in the NCI-IDD average).

Important note on Impact of COVID-19

The 2020-21 NCI-IDD IPS data collection cycle began July 1, 2020 and ended June 30, 2021. As COVID-19 continued to spread across the United States, states were impacted in various ways throughout the year. These data cannot fully assess what impact the pandemic had on data collected at different times throughout the year. While these data will serve as an important baseline, and meaningful way for states to understand the overall impact of services on people being served, these data should be read with caution.

To help better understand the overall impact of COVID-19 on people receiving services, NCI-IDD added a state-optional COVID-19 Supplement to all NCI-IDD Surveys. The COVID-19 Supplement is intended to support the understanding of the experience of people with disabilities and their families at the beginning of the COVID-19 pandemic, and their interactions with services during that time. The NCI IPS COVID-19 Supplement can be found [here](#).

Figure A. Percentage of people surveyed in each residence type by state

State	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home	N
AL	0%	76%	6%	18%	0%	391
AR	1%	14%	39%	45%	2%	397
CA ¹	10%	25%	13%	51%	2%	8,630
CO	0%	11%	9%	52%	27%	614
FL	0%	42%	16%	42%	0%	399
GA	0%	31%	15%	40%	14%	405
HI	0%	13%	6%	52%	29%	317
IL	0%	50%	10%	39%	1%	339
IN	0%	27%	28%	43%	2%	405
KS	1%	43%	25%	28%	3%	380
KY	1%	37%	7%	28%	27%	393
MI	0%	48%	15%	35%	3%	651
MN	1%	55%	7%	33%	4%	386
MO	1%	20%	45%	30%	4%	399
NE	8%	29%	21%	26%	16%	417
NV	0%	51%	22%	22%	5%	408
NH	2%	15%	10%	39%	33%	396
NJ	0%	48%	13%	34%	5%	406
NC	14%	14%	8%	50%	14%	383
OH	6%	12%	36%	44%	1%	329
OR	0%	21%	9%	50%	20%	419
PA	8%	40%	12%	39%	1%	605
SD	0%	53%	36%	10%	1%	398
TN	3%	39%	31%	24%	4%	317
VA	0%	44%	8%	30%	18%	718
WI	1%	22%	22%	54%	1%	739
Total	5%	30%	16%	43%	6%	19,641

¹ All Californians with an intellectual or developmental disability as defined by California law have both a civil right and an individual entitlement to receive services from the California Department of Developmental Services. These statutory requirements make California's service system unique and could impact comparisons between its survey results and the results of other states.




Table 1. Has friends who are not staff or family members ('yes, has friends who are not staff or family' responses only)

Significantly Above Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
SD	87%	295	n/a	88%	85%	93%	n/a
AR	85%	282	n/a	95%	84%	83%	n/a
VA	85%	378	n/a	84%	94%	93%	70%
MI	84%	354	n/a	85%	82%	84%	n/a
CO	84%	373	n/a	74%	81%	88%	80%
NE	83%	269	71%	94%	85%	84%	67%

Within Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
NJ	83%	218	n/a	85%	81%	84%	n/a
OR	82%	254	n/a	85%	88%	79%	83%
IL	82%	206	n/a	90%	80%	74%	n/a
AL	81%	312	n/a	77%	95%	92%	n/a
OH	80%	212	n/a	82%	82%	77%	n/a
MO	80%	250	n/a	79%	79%	81%	n/a
HI	79%	140	n/a	n/a	n/a	77%	77%
TN	79%	145	n/a	82%	77%	72%	n/a
FL	78%	206	n/a	78%	83%	76%	n/a
IN	78%	257	n/a	75%	79%	78%	n/a
Weighted NCI-IDD Average	77%	11,866	73%	76%	80%	76%	76%
GA	77%	235	n/a	79%	70%	79%	78%
WI	76%	488	n/a	75%	82%	72%	n/a
NC	76%	226	n/a	74%	87%	79%	91%
NH	75%	291	n/a	72%	85%	76%	72%
NV	74%	316	n/a	71%	79%	75%	n/a
PA	74%	360	n/a	75%	82%	71%	n/a
CA	74%	5,044	70%	72%	75%	74%	79%

Significantly Below Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
KS	69%	279	n/a	69%	77%	58%	n/a
MN	62%	283	n/a	64%	78%	59%	n/a
KY	59%	193	n/a	44%	n/a	74%	57%




Table 2. Has best friend (may be staff or family; 'yes' responses only)

Significantly Above Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
GA	86%	225	n/a	91%	80%	85%	92%
CO	85%	359	n/a	86%	77%	87%	85%
AR	85%	281	n/a	95%	82%	85%	n/a
TN	81%	144	n/a	89%	77%	72%	n/a
OH	79%	199	n/a	n/a	79%	78%	n/a

Within Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
HI	79%	136	n/a	n/a	n/a	73%	93%
MO	74%	246	n/a	91%	70%	73%	n/a
MI	74%	339	n/a	76%	72%	72%	n/a
SD	73%	285	n/a	77%	72%	75%	n/a
OR	73%	240	n/a	74%	74%	70%	77%
IN	72%	242	n/a	76%	76%	68%	n/a
NJ	72%	201	n/a	72%	67%	73%	n/a
Weighted NCI-IDD Average	72%	11,391	76%	73%	73%	70%	73%
VA	71%	345	n/a	74%	67%	74%	63%
IL	71%	193	n/a	76%	75%	65%	n/a
AL	71%	310	n/a	67%	81%	86%	n/a
MN	71%	272	n/a	71%	81%	69%	n/a
WI	70%	480	n/a	57%	73%	74%	n/a
FL	70%	195	n/a	78%	67%	64%	n/a
NC	70%	214	n/a	72%	83%	66%	84%
PA	69%	336	n/a	73%	76%	60%	n/a
NH	69%	266	n/a	70%	63%	67%	77%
KS	69%	269	n/a	64%	75%	69%	n/a
CA	69%	4,862	75%	73%	67%	67%	83%
NV	69%	306	n/a	71%	65%	70%	n/a
NE	64%	258	n/a	63%	68%	67%	52%

Significantly Below Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
KY	33%	188	n/a	30%	n/a	59%	24%




Table 3. Wants help to make or keep in contact with friends ('yes' and 'maybe' responses)

Significantly Above Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
TN	71%	137	n/a	77%	69%	69%	n/a
HI	68%	139	n/a	n/a	n/a	71%	65%
NC	66%	214	n/a	74%	61%	58%	73%
NH	58%	282	n/a	60%	48%	60%	62%
IL	57%	197	n/a	64%	61%	51%	n/a
AL	57%	308	n/a	61%	n/a	48%	n/a
IN	57%	254	n/a	50%	44%	72%	n/a
OR	57%	219	n/a	69%	59%	55%	42%
NV	55%	306	n/a	66%	39%	56%	n/a
MI	55%	340	n/a	57%	44%	61%	n/a

Within Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
GA	53%	223	n/a	75%	31%	52%	51%
CO	52%	365	n/a	43%	47%	54%	53%
SD	51%	286	n/a	64%	40%	48%	n/a
OH	51%	198	n/a	67%	47%	47%	n/a
NE	48%	259	52%	58%	42%	46%	43%
FL	48%	202	n/a	50%	31%	55%	n/a
Weighted NCI-IDD Average	46%	11,250	58%	53%	37%	47%	42%
NJ	45%	212	n/a	47%	38%	46%	n/a
MN	43%	272	n/a	53%	32%	32%	n/a
VA	42%	307	n/a	48%	32%	45%	36%
MO	42%	232	n/a	41%	45%	44%	n/a
AR	40%	274	n/a	49%	39%	39%	n/a

Significantly Below Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
CA	42%	4,772	53%	51%	28%	41%	38%
WI	39%	463	n/a	44%	22%	45%	n/a
PA	33%	339	n/a	38%	25%	35%	n/a
KS	30%	262	n/a	32%	27%	31%	n/a
KY	15%	188	n/a	13%	n/a	23%	14%




Table 4. Has friends (may be staff or family) and can see their friends when they want ('yes' responses only)

Significantly Above Weighted NCI Average

State	Average Within State	N	ICF/IID. Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
AR	87%	259	n/a	92%	85%	86%	n/a
KY	86%	189	n/a	81%	n/a	80%	92%
TN	85%	130	n/a	87%	89%	80%	n/a
MN	79%	253	n/a	76%	88%	77%	n/a
IN	78%	232	n/a	75%	81%	74%	n/a
MO	77%	219	n/a	70%	80%	72%	n/a
SD	77%	273	n/a	76%	78%	75%	n/a
PA	76%	290	n/a	76%	89%	70%	n/a

Within Weighted NCI Average

State	Average Within State	N	ICF/IID. Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
KS	74%	247	n/a	72%	78%	69%	n/a
NV	73%	266	n/a	70%	75%	77%	n/a
FL	73%	176	n/a	75%	70%	72%	n/a
NC	72%	188	n/a	67%	67%	71%	78%
OH	72%	188	n/a	n/a	72%	73%	n/a
NE	72%	244	n/a	78%	70%	64%	88%
AL	71%	280	n/a	69%	81%	79%	n/a
MI	71%	320	n/a	76%	71%	66%	n/a
GA	70%	219	n/a	69%	82%	70%	57%
IL	69%	181	n/a	68%	61%	73%	n/a
Weighted NCI-IDD Average	69%	10,171	70%	69%	73%	66%	69%
WI	67%	404	n/a	62%	76%	64%	n/a
HI	66%	124	n/a	n/a	n/a	62%	72%
CO	66%	350	n/a	68%	69%	63%	63%
CA	64%	4,176	68%	66%	67%	61%	71%

Significantly Below Weighted NCI Average

State	Average Within State	N	ICF/IID. Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
OR	53%	210	n/a	48%	55%	57%	49%
NJ	52%	185	n/a	52%	62%	47%	n/a
VA	50%	317	n/a	50%	55%	43%	58%
NH	43%	251	n/a	37%	63%	45%	37%




Table 5. Reasons cannot see friends if sometimes or often unable to

Categories are not mutually exclusive

State	Lack of Transportation	Lack of Support Staff	Rules or Restrictions About Seeing Friends	Money or Cost of Going Out	Difficult to Find Time to Get Together	Other	N
AL	3%	6%	1%	0%	19%	71%	80
AR	12%	3%	3%	0%	15%	68%	34
CA	12%	2%	7%	1%	16%	71%	1,482
CO	18%	3%	7%	5%	28%	77%	120
FL	29%	17%	4%	13%	15%	44%	48
GA	17%	3%	3%	3%	5%	74%	66
HI	31%	7%	5%	5%	17%	74%	42
IL	23%	9%	7%	0%	14%	52%	56
IN	27%	14%	20%	2%	24%	33%	49
KS	11%	6%	24%	10%	44%	19%	63
KY	19%	8%	27%	0%	19%	38%	26
MI	26%	7%	9%	2%	15%	60%	86
MN	33%	12%	21%	4%	15%	35%	52
MO	24%	8%	2%	0%	22%	47%	51
NE	74%	22%	9%	16%	31%	44%	68
NV	14%	6%	15%	3%	29%	51%	72
NH	9%	4%	4%	2%	12%	79%	142
NJ	20%	7%	8%	2%	9%	63%	87
NC	17%	6%	8%	0%	19%	46%	52
OH	19%	2%	2%	2%	29%	54%	52
OR	11%	5%	8%	4%	13%	80%	98
PA	6%	3%	3%	1%	9%	81%	68
SD	23%	5%	11%	0%	45%	44%	64
TN	n/a	n/a	n/a	n/a	n/a	n/a	n/a
VA	11%	2%	13%	0%	11%	73%	158
WI	26%	1%	6%	2%	15%	70%	133
Weighted NCI-IDD Average	18%	5%	8%	3%	17%	63%	3,269




Table 6. Has other ways of talking, chatting, or communicating with friends when cannot see them ('yes' responses only)

Within Weighted NCI Average

State	Average Within State	N	ICF/IID. Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
VA	92%	309	n/a	90%	91%	93%	94%
NE	92%	236	n/a	88%	92%	96%	94%
NJ	91%	188	n/a	90%	100%	90%	n/a
WI	91%	412	n/a	83%	96%	89%	n/a
MO	91%	214	n/a	91%	90%	91%	n/a
MN	91%	256	n/a	91%	100%	90%	n/a
OR	91%	212	n/a	90%	82%	95%	86%
PA	90%	286	n/a	91%	98%	86%	n/a
CA	89%	4,131	80%	82%	95%	91%	94%
IL	88%	179	n/a	90%	96%	83%	n/a
AR	88%	260	n/a	89%	87%	89%	n/a
GA	88%	217	n/a	90%	91%	87%	83%
Weighted NCI-IDD Average	87%	10,110	79%	85%	92%	88%	82%
SD	87%	263	n/a	86%	92%	78%	n/a
MI	87%	324	n/a	84%	91%	90%	n/a
IN	87%	233	n/a	78%	93%	85%	n/a
NH	86%	255	n/a	75%	94%	91%	84%
CO	86%	353	n/a	89%	92%	87%	78%
AL	85%	278	n/a	87%	86%	77%	n/a
FL	85%	177	n/a	79%	83%	92%	n/a
KS	84%	245	n/a	81%	88%	83%	n/a
KY	84%	188	n/a	88%	n/a	88%	74%
TN	84%	131	n/a	80%	88%	80%	n/a

Significantly Below Weighted NCI Average

State	Average Within State	N	ICF/IID. Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
NV	81%	263	n/a	80%	79%	84%	n/a
NC	80%	187	n/a	82%	95%	78%	79%
OH	79%	187	n/a	62%	86%	77%	n/a
HI	73%	126	n/a	n/a	n/a	71%	61%




Table 7. Can see or communicate with their family when they want (among those who *do not live in the family home*; 'yes, sees family whenever wants', or 'chooses not to see family' responses only) ²**Significantly Above Weighted NCI Average**

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
MO	94%	172	n/a	94%	94%	--	n/a
MN	92%	172	n/a	90%	100%	--	n/a
AR	91%	161	n/a	92%	91%	--	n/a
NE	91%	175	95%	91%	90%	--	88%

Within Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
PA	89%	153	n/a	87%	94%	--	n/a
SD	87%	250	n/a	86%	88%	--	n/a
TN	86%	106	n/a	80%	90%	--	n/a
WI	85%	225	n/a	81%	88%	--	n/a
IN	84%	140	n/a	86%	84%	--	n/a
MI	84%	199	n/a	83%	85%	--	n/a
CO	84%	174	n/a	86%	83%	--	84%
OR	83%	122	n/a	91%	72%	--	80%
OH	82%	108	n/a	76%	83%	--	n/a
Weighted NCI-IDD Average	82%	6,246	79%	81%	86%	--	78%
CA	82%	2,194	77%	80%	85%	--	85%
IL	81%	128	n/a	79%	91%	--	n/a
NC	81%	95	n/a	88%	76%	--	81%
FL	81%	116	n/a	79%	84%	--	n/a
NV	81%	236	n/a	79%	83%	--	n/a
NJ	79%	131	n/a	76%	88%	--	n/a
AL	79%	237	n/a	78%	n/a	--	n/a
GA	79%	135	n/a	75%	86%	--	75%
VA	78%	233	n/a	77%	85%	--	74%
HI	76%	63	n/a	n/a	n/a	--	80%
KS	74%	199	n/a	75%	71%	--	n/a

Significantly Below Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
NH	71%	175	n/a	65%	79%	--	71%
KY	31%	147	n/a	24%	n/a	--	36%

² This question as not applicable to individuals living in the family home




Table 8. Often feels lonely ('yes, often' responses only)

Significantly Above Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
IN	20%	249	n/a	19%	24%	17%	n/a

Within Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
NH	15%	291	n/a	18%	13%	11%	18%
AR	14%	276	n/a	3%	20%	11%	n/a
OR	14%	244	n/a	13%	13%	16%	10%
HI	14%	138	n/a	n/a	n/a	14%	19%
CA	13%	4,966	21%	15%	14%	11%	12%
NV	13%	308	n/a	16%	11%	5%	n/a
TN	12%	138	n/a	17%	12%	8%	n/a
NJ	12%	205	n/a	13%	11%	12%	n/a
MI	12%	353	n/a	13%	8%	13%	n/a
OH	12%	208	n/a	14%	15%	8%	n/a
NC	11%	218	n/a	22%	19%	7%	9%
Weighted NCI-IDD Average	11%	11,574	17%	13%	13%	10%	9%
WI	11%	477	n/a	16%	16%	6%	n/a
SD	11%	291	n/a	16%	7%	10%	n/a
GA	11%	228	n/a	15%	8%	9%	14%
VA	11%	321	n/a	13%	11%	9%	8%
IL	11%	200	n/a	15%	4%	6%	n/a
MN	10%	275	n/a	11%	11%	9%	n/a
KS	9%	274	n/a	10%	10%	6%	n/a
MO	9%	245	n/a	6%	9%	11%	n/a
FL	8%	197	n/a	9%	9%	7%	n/a

Significantly Below Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
NE	7%	252	n/a	5%	7%	10%	0%
CO	7%	371	n/a	8%	9%	5%	7%
AL	6%	309	n/a	6%	n/a	10%	n/a
PA	5%	349	n/a	7%	5%	3%	n/a
KY	1%	191	n/a	1%	n/a	2%	0%




Table 9. Can go on a date or is married or living with partner ('yes, can date' or 'is married or living with partner' responses only)

Significantly Above Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
AL	92%	282	n/a	95%	n/a	78%	n/a
SD	87%	273	n/a	83%	92%	79%	n/a
CO	85%	275	n/a	90%	91%	81%	86%
NE	85%	246	n/a	89%	92%	77%	93%
OR	84%	182	n/a	84%	95%	86%	69%
MO	80%	215	n/a	86%	80%	78%	n/a
WI	80%	351	n/a	79%	88%	78%	n/a
AR	80%	259	n/a	81%	81%	78%	n/a

Within Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
TN	80%	117	n/a	81%	85%	65%	n/a
GA	78%	207	n/a	73%	85%	78%	77%
MN	78%	222	n/a	76%	95%	75%	n/a
KS	77%	257	n/a	75%	90%	67%	n/a
OH	77%	159	n/a	n/a	84%	71%	n/a
FL	76%	171	n/a	69%	93%	73%	n/a
NV	76%	277	n/a	72%	84%	71%	n/a
PA	75%	255	n/a	72%	86%	70%	n/a
IL	73%	166	n/a	75%	78%	69%	n/a
Weighted NCI-IDD Average	73%	9,439	68%	71%	85%	67%	71%
VA	72%	225	n/a	72%	88%	64%	69%
CA	69%	4,029	69%	65%	87%	63%	83%
IN	65%	225	n/a	57%	75%	59%	n/a
NJ	64%	159	n/a	65%	85%	44%	n/a
KY	63%	60	n/a	62%	n/a	n/a	n/a

Significantly Below Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
NH	62%	227	n/a	56%	75%	66%	56%
MI	59%	272	n/a	54%	76%	57%	n/a
NC	54%	200	n/a	69%	76%	46%	65%
HI	42%	128	n/a	n/a	n/a	35%	44%